

Fig. 1




Fig.2

40	140	50
30	150	200
60	180	210

(a)

8	5	7
9	4	2
6	3	1

(b)

10	120	85
0	170	190
85	170	210

(c)

10	85	85
0	85	85
85	85	85

(d)

0	35	0
0	85	85
0	85	85

(e)

0	0	0
0	0	20
0	0	40

(f)

10	85	85
0	85	85
85	85	85

(g)

0	35	0
0	85	85
0	85	85

(h)

0	0	0
0	0	0
0	0	60

(i)


10	120	85
0	170	170
85	170	230

(j)

Fig. 3

図 3 は、入力画像データのレベル分割の処理手順を示すフローチャートである。








レベル別再配分記憶手段(処理前)



原画像 (c)

40	140	50	60
30	150	200	200
60	180	210	145

入力画像データの
レベル分割



レベル別再配分記憶手段
(処理後)

Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig. 9




Fig.10




Fig.15




Fig. 11




Fig. 12






Fig. 13.



Fig, 14




Fig.16

40	140	50
30	150	200
60	180	210

(a)

8	5	7
9	4	2
6	3	1

(b)

10	120	85
0	170	190
85	170	210

(c)

10	0	85
0	0	0
85	0	0

(d)

0	120	0
0	170	0
0	0	0

(e)

0	0	0
0	0	190
0	170	210

(f)

10	0	85
0	0	0
85	0	0

(g)

0	120	0
0	170	0
0	0	0

(h)

0	0	0
0	0	170
0	170	230

(i)

10	120	85
0	170	170
85	170	230

(j)

Fig.17





Fig.18

(a)



(b)




Fig.19




Fig.20




FIG.21




Fig.22

180	170
160	70

(a)

1	2
3	4

(b)

170	170
170	70

(c)

85	85
85	85

(d)

85	85
85	0

(e)

170	170
170	85

(f)

Fig.23

180	170
160	0

(a)

1	2
3	4

(b)

170	170
170	0

(c)

85	85
85	85

(d)

85	85
0	0

(e)

170	170
85	85

(f)